


Glastender®

KITCHEN REFRIGERATION





Space-Maximizing Undercounter Coolers

Glastender's C1SU space-maximizing undercounter coolers offer generous capacity in a compact foot print. The 24" deep cabinets, available in 24" or 28" one-door units and 36", 44", or 48" two-door units are ideal for undercounter, foodservice applications.



Includes LED light available in bright white (shown), warm white, amber, or blue




7 door styles to satisfy diverse needs and decor
(unlaminated not shown)





End Wall Refrigerated Undercounter Coolers

Glastender's C1FU end wall refrigerated, undercounter coolers are ideal for undercounter, foodservice applications. The 24" deep cabinets are available in one through four-door sizes and in lengths from 32" up to 108".



Includes LED light available in bright white (shown), warm white, amber, or blue




Innovative end wall refrigeration design with evaporator located above compressor compartment frees up interior space for maximum storage capacity

Edge cap on laminated doors protects laminate from chipping




7 door styles to satisfy diverse needs and decor (unlaminated not shown)





Lettuce Crisper

Glastender's lettuce crisper has forced air refrigeration for uniform cooling of product, providing you with cool, crisp salads for each and every customer. The lettuce chute with lift-up stainless door allows access to shredded lettuce stored in the removable plastic lettuce bin.

Digital thermostat control with automatic defrost is easily visible



The 16 gauge galvanized steel back includes an integral channel for mounting the unit on the factory supplied wall bracket. NOTE: The wall bracket mounting holes must align with at least two (2) wall studs for a safe and secure installation.



Wall-Mount Refrigerator

Glastender's wall-mount food service refrigerator is a great way to add extra refrigerated storage in a tight space or above existing work tables. The high capacity forced air refrigeration system is NSF standard 7 listed for open food storage.




WMR24S-R



Interior LED light with on/off switch included.


Available with solid stainless steel door or glass door for easy product visibility.

Integral channel



(Side shown cut-away for illustrative purpose).

Wall bracket



The 16 gauge galvanized steel back includes an integral channel for mounting the unit on the factory supplied wall bracket. NOTE: The wall bracket mounting holes must align with at least two (2) wall studs for a safe and secure installation.



All stainless steel interior construction with radius corners for easy cleaning.

Countertop Merchandiser

Sharing many of the same useful features as our wall mount refrigerator, Glastender's countertop merchandiser is a great way to merchandise refrigerated products. The pass thru design provides swinging front and back doors for convenient loading and unloading of product from either side.



Digital thermostat control with automatic defrost is easily visible

Interior LED light with on/off switch



Self-contained forced air refrigeration system for uniform cooling of product



Easy to remove condenser filter can be regularly cleaned to maintain condenser coil efficiency




Glass door for easy product visibility and merchandising (solid stainless door on one or both sides)

NSF® standard 7 listed for open food storage



CM24XX-RR

All stainless steel interior construction with radius corners for easy cleaning



Mobile and Drop-In Ice Cream Freezers

Glastender's mobile ice cream freezer is designed to hold two 3-gallon ice cream containers at dipping temperature (-5°F to 10°F). The unit includes four 3" heavy duty rubberized casters (two locking) and has a 36" high work surface.



Easy to clean all stainless steel interior and exterior with durable 16 gauge galvanized steel exterior bottom

Durable one-piece seamless top is easy to clean




90° electrical plug and recessed back designed to accommodate an outlet behind the unit while still maintaining the 18" depth



FRM-2

2.3X THICKER **70% STRONGER**

Our ice cream freezer hinge pin is 2.3X thicker making it 70% stronger than the common industry hinge pin



Common industry hinge pin


Glastender's unique thicker hinge pin




Glastender's drop-in ice cream freezers are an easy way to add hand dipped ice cream to any service station. Models are available to hold either one or two 3-gallon ice cream containers.




Available with easy to clean seamless welded dipper well



Unique hemmed edge for added strength and visual appeal




Special hinge holds the lid open while dipping




Stainless steel interior with 1/4" radius corners for easy cleaning

NOTE: The standard top lifts up and the special hinges allow the lid to remain open while dipping. A special "flip lid" is available on the models that hold two 3-gallon containers. The flip lid is hinged in the middle and opens from each end. The flip lid models are specified with the suffix '-FL' in the model number.




DI-FR-DW



Special angle brackets, U-channels, and mounting bolts provided for an easy, secure installation


Six different drop-in ice cream freezer models are available to handle various applications




DI-FR



DI-FR-DW




DI-FR36



DI-FR36-DW



DI-FR36-FL



DI-FR36-DW-FL

Also available...

Kitchen Fabrication



TAB-W



SNK-C

Expect more *more flexibility*
more features



CAB-MBS

Glastender®

Glastender also manufactures a line of highly configurable kitchen fabrication products providing you with tailor-made solutions.

The flexibility you want. The features you need.

Glastender. Expect more.